This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



ii g

Figure 1.

*(R)-configuration
**(R)- or (S)-configuration

wherein

R¹, R² and R³ are each independently of the others an aliphatic hydrocarbon radical having from 7 to 21 carbon atoms,

n is 0 or 1,

As is the amidically bonded residue of a (D)- or (L)-amino acid or of a (D)- or (L)-amino acid derivative from the group consisting of Gly, Ala, Ser, Thr, Asp, Asp(R⁵), Glu, Glu(R⁵), Gla, Gla(R⁵) and Gla(R⁵)₂, and

R⁴ and R⁵ are each independently of the other the amidically bonded radical of an unsubstituted or carboxy-substituted ω-amino-C₂-C₃alkanesulfonic acid.

Figure 2

JBT3002, $C_{55}H_{102}N_4O_{14}S_3Na_2$ (1185.6)






Figure 3

7,











Figure 5










Figure le




Figure 7





Figure 8






Figure 10





Figure 11



Figur 12





Figure 13



::







Figure 15




Treatment of monocytes



F-9--- 17





Tigue 19













Fjure 20

COPY CONFIDENTIAL





Figure 21

OGYGYGYG, OYEYGY

ILEUM



F13 22.

IL-15 RT-PCR

